

THE
CAPSULE^D.**"McK. & R." PILLS.**

ORIGINATED 1870 BY

McKESSON & ROBBINS,

Manufacturing Chemists, New York,

Trade Mark, Registered.

The Profession and Trade are warned against Imitations.

**FOR SALE BY THE PRINCIPAL WHOLESALE HOUSES
IN THE TRADE THROUGHOUT GREAT BRITAIN
AND IRELAND.****PECULIAR MERITS OF THE "McK. & R." PILLS.**

The covering entirely disguises the taste, and, because of the ovoid form, they are easily taken by persons who cannot swallow round pills—even when coated with sugar.

The Pills are perfectly sealed by a complete envelope of pure transparent gelatine—applied while the mass is soft—protecting all delicate substances from the oxidizing influences of the atmosphere, and keeping the Pills in a perfectly soluble condition. The capsule dissolves very quickly when placed in the mouth.

They are not subjected to that injurious application of heat, which so greatly impairs the ordinary coated Pills.

REVISED LIST OF FORMULAS.

(Of the British Pharmacopœia and other Standard Authorities.)

The uniform drugs and the exact subdivision of them in the "McK. & R. Pills" can be relied upon with confidence by the Profession, and these advantages can always be secured regardless of the locality in which they are dispensed.

PUT UP IN BOTTLES CONTAINING 25 OR 100 EACH.

A**Aconitine Crystals (Duquesnel's) 1-500 gr.****Aconitine Crystals (Duquesnel's) 1-200 gr.****Aloes Barb, B.P. 5 grs.**{ Aloes Barb. Pulv. 2 1-2 grs. Conf. Rosæ 1 1-4 grs. }
{ Saponis Pulv. 1 1-4 grs. Ol. Cari }**Aloes Dilute (Hall's Dinner).**{ Aloes Barb. Pulv. Saponis Pulv. }
{ Ext. Glycyrrhizæ Theriaca.....aa 1 gr. }**Aloes Socotrine, B.P. 5 grs.**{ Aloes Soc. Pulv.....2 1-2 grs. }
{ Saponis Pulv. Conf. Rosæ aa 1 1-4 grs. }
{ Ol. Myristicæ }**Aloes and Asafœtida, B.P. . . . 5 grs.**{ Aloes Soc. Pulv. Saponis Pulv. }
{ Asafœtida Conf. Rosæ...aa 1 1-4 grs. }**Aloes and Iron, B.P. 5 grs.**{ Aloes Barb. Pulv...1 gr. Cinnam. Co. Pulv. 1 1-2 grs. }
{ Ferri Sulph.3-4 gr. Conf. Rosæ1 3-4 grs. }**Aloes and Myrrh, B.P. 3 grs.**{ Aloes Soc. .1 gr. Myrrha1-2 gr. }
{ Crocus1-4 gr. Conf. Rosæ...1 1-4 grs. }**Aloes and Myrrh, P.B. 5 grs.**{ Aloes Soc. 1-2 grs. Myrrha5-6 gr. }
{ Crocus1-2 gr. Conf. Rosæ 2 1-2 grs. }**Aloes and Nux Vomica.**{ Pulv. Aloes Soc....1 1-2 grs. }
{ Ext. Nucis Vom....1-2 gr. }**Aloin 1-10 gr.****Aloin 1-4 gr.****Aloin 1-2 gr.****Aloin 1 gr.****Aloin Compound.**{ Aloin Res. Podophylli...aa 1-8 gr. }
{ Ext. Belladonna.....1-4 gr. }**Aloin and Strychnine.**{ Aloin.....1-5 gr. }
{ Strychnina ..1-60 gr. }**Aloin, Strychnine, and Belladonna.**{ Aloin1-5 gr. Strychnina...1-60 gr. }
{ Ext. Belladonna.....1-8 gr. }

A tonic laxative granule, prescribed where a painless peristaltic action is required.

DOSE.—1 or 2, three times a day, as directed.

PLEASE NOTE IMPORTANT ADDITIONS TO THE LIST OF "McK. & R." PILLS.

The reputation of Gelatine-coated Pills has been created by our manufacture.

THE READY SOLUBILITY of "McK. & R. Pills" is easily proved by the administration of a dose of the Cathartic Comp. U.S.P. (Purgative.)

IN ORDERING, BE CAREFUL TO SPECIFY "McK. & R." PILLS.

"McK. & R." CAPS. PILLS

According to Formulas of the British Pharmacopœia and other Standard authorities.

"McK. & R." Caps. Pills are prepared expressly for the use of Physicians and Surgeons, and to be dispensed in Prescriptions.

Anti-Cholera 2 grs.

{ Opil Pulv. 1 part.
 { Capsici Pulv. Piper. Nig. Pulv. 3 parts.
 { Camphora Asafoetida.....aa 4 parts.

Anti-Dyspepsia (Fothergill's).

{ Strychnina.....1-20 gr. Pulv. Piper. Nig. 1 1-2 grs.
 { Pulv. Ipecac.....2-3 gr. Ext. Gentiana.....1 gr. }

Aphrodisiac.

{ Ext. Turnerae Aphrodisiaca 2 grs.
 { Phosphorus1-100 gr.
 { Ext. Nucis Vomicae1-3 gr. }

Arsenious Acid 1-50 gr.

Arsenious Acid 1-20 gr.

Asafoetida, U.S.

{ Asafoetida.....3 grs.
 { Pulv. Saponis.....1 gr. }

Asafoetida Compound, B.P. .. 5 grs.

{ Asafoetida, Galbanum, Myrrhae ..aa 1 3-7 grs.
 { Theriaca.....5-7 gr. }

Atropine 1-300 gr.

Atropine 1-100 gr.

B

Blue Mass, B.P. 1 gr.

Blue Mass, B.P. 2 grs.

Blue Mass, B.P. 3 grs.

Blue Mass, B.P. 5 grs.

Blue Mass, Colocynth, and Hyoscy.

{ Massa Hydrarg.....1 gr. Ext. Hyoscy.....1 gr.
 { Ext. Colocynth. Co.....3 grs. }

C

Calcium Sulphide 1-10 gr.

Calcium Sulphide 1-4 gr.

Calcium Sulphide 1-2 gr.

Calcium Sulphide 1 gr.

Calomel, Colocynth, and Hyoscyamus.

{ Hyd. Chlor. Mite.
 { Ext. Hyoscyami.....aa 1 gr.
 { Ext. Colocynth. Co.....3 grs. }

Calomel, Comp. B.P. 5 grs.

{ Hyd. Chlor. Mite. 11-8 grs. Res. Guaiaci Pulv. 21-4 grs.
 { Antim. Sulph.....11-8 grs. Ol. Ricini1-2 gr. }

Calomel and Opium.

{ Hydrarg. Chlor. Mite. 2 grs.
 { Pulv. Opil1 gr. }

Camphor and Hyoscyamus.

{ Camphora
 { Ext. Hyoscyami.....aa 1 gr. }

Camphor Mono-Bromated .. 2 grs.

Cannabis Indica-Extract .. 1-4 gr.

Cannabis Indica-Extract .. 1-2 gr.

Cascara Sagrada Extract .. 3 grs.

Cathartic Compound, U.S.P. (Purgative.)

{ Ext. Jalapa Pulv. Hyd. Subchlor.....aa 1 gr.
 { Ext. Coloc. Co. Pulv.11-3 grs.
 { Cambogia Pulv.14 gr. }

DOSE.—One to three.

Codeine 1-2 gr.

Colocynth Comp. B.P. 4 grs.

{ Coloc. Pulpa Pulv.....4-5 gr. Potass. Sulph.
 { Aloes. Barb. Pulv.....1 3-5 grs. Ol. Caryoph. }
 { Scammon. Virg. Pulv.1 3-5 grs. }

Colocynth Comp. B.P. 5 grs.

{ Coloc. Pulpa Pulv.1 gr. Potass. Sulph.
 { Aloes Barb. Pulv.....2 grs. Ol. Caryoph. }
 { Scammon. Virg. Pulv.....2 grs. }

Colocynth Comp. & Blue Mass, 5 grs.

{ Pil. Coloc. Co. B.P.....3 grs.
 { Massa Hydrarg.2 grs. }

Colocynth Comp. and Calomel 5 grs.

{ Ext. Coloc. Co.....4 grs.
 { Hyd. Subchlor.....1 gr. }

Colocynth Comp. and Hyos. B.P., 5 grs.

{ Pil. Coloc. Co. B.P. 31-3 grs.
 { Ext. Hyoscyami.....12-3 grs. }

Colocynth Comp. Extract, B.P. 5 grs.

{ Coloc. Pulpa11-5 grs. Saponis Pulv. 3-5 gr.
 { Ext. Aloes Soc.....2-5 grs. Cardam. Sem. 1-5 gr.
 { Res. Scammon.4-5 gr. }

Conium Compound, B.P. .. 5 grs.

{ Ext. Conii.....4 1-6 grs.
 { Ipecac. Pulv.5-6 grs.
 { Theriaca

Copaiba Compound.

{ Ferri Sulph. Exsic.....1-2 gr. Massa Copaiba.....1 gr
 { Terebinth Venet. 11-2 grs. Cubeba Pulv.2 grs. }

Copaiba and Oleo-Resin Cubebe, 5 grs.

{ Massa Copaiba.....3 grs.
 { Oleo-Resina Cubebe2 grs. }

Corrosive Sublimate 1-30 gr.

Corrosive Sublimate 1-20 gr.

Corrosive Sublimate 1-10 gr.

Croton Chloral 1 gr.

Croton Chloral 2 grs.

Cubebe, Oleo-Resin, with Soda.

{ Oleo-Resina Cubebe.....1 gr.
 { Sodii Bicarb.....1-8 gr. }

D

Digitalin 1-60 gr.

E

Elaterine 1-20 gr.

Emmenagogue (Mutter's).

{ Ferri Sulph. Exsic. Terebinthina.....aa 11-2 grs.
 { Aloes Soc.....1-3 grs. }

Ergotin 3 grs.

Each Pill contains the active principles of 30 grains Ergot of Rye or 30 minims of the Liquid or Fluid Extract.

This Ergotin is prepared with great care from the best quality of fresh selected Ergot of Rye, and it contains, in the most potent form, all the active constituents of the drug.

This form presents many advantages over the ordinary liquid preparations; it is more reliable and uniform in its effect, and is more acceptable to patients, when administered, and is specially desirable in neurotic treatment.

Euonymin 2 grs.

Euonymin 3 grs.

Euonymin Comp.

{ Euonymin.....1 gr. Ext. Nucis Vom.1-8 gr.
 { Aloin1-4 gr. Ext. Hyoscyami1 gr.
 { Ext. Rhei.....1 gr. }

F

Ferruginous (Blaud's) 3 grs.

{ Ferri Sulphas
 { Potassii Carb.....aa P.A.E. }

Ferruginous (Blaud's) 5 grs.

{ Ferri Sulphas
 { Potassii Carb.....aa P.A.E. }

H

Hydrastine (White Alkaloid) .. 1-2 gr.

I

Iodoform 1 gr.

Iodoform and Iron.

{ Iodoformum
 { Ferrum Redact.....aa 1 gr. }

Ipecac. Powdered 1-4 gr.

Ipecac. Powdered 5 grs.

Ipecac. Comp. (Ipecac. & Opium) 5 grs.

Ipecac. and Squill, B.P. 5 grs.

{ Ipecac. Co. Pulv.3 grs.
 { Scilla Pulv. Ammoniac Pulv.....aa 1 gr. }

Iron Arseniate 1-8 gr.

Iron Carbonate, B.P. 5 grs.

Iron by Hydrogen (Quevenne's) 1 gr.

Iron Iodide (Blancard's Formula) 1 gr.

Iron and Quinine Citrate 2 grs.

Iron, Quinine, and Strychnine.

{ Ferrum Redactum Quinina Sulph.....aa 1 gr.
 { Strychnina1-60 gr. }

IN ORDERING, BE CAREFUL TO SPECIFY "McK. & R." PILLS.

IN ORDERING, BE CAREFUL TO SPECIFY "McK. & R." PILLS.

"McK. & R." CAPS. PILLS*According to Formulas of the British Pharmacopœia and other Standard authorities.***L****Laxative Vegetable (Improved Cath.)**

{ Ext. Coloc. Comp. Pulv.1 gr. }	
{ Jalape Pulv. Res. Leptandrin.aa 1-2 gr. }	
{ Ext. Hyoscyami Ext. Taraxaci Res. Podoph. aa 1-4 gr. }	
Ol. Menth. Pip.	

M

Manganese Bin-Oxide	2 grs.
Mercury Bin-Iodide	1-16 gr.
Mercury Proto-Iodide	1-8 gr.
Mercury Proto-Iodide	1-4 gr.

Absolutely pure Proto-Iodide of Mercury should be a bright yellow impalpable powder, entirely free from globules of mercury or particles of bin-iodine.

The title "Viride" should be discarded, and "Flavum" substituted as a correct description of the chemically pure product of precipitation found in the "McK. & R." Pills containing 1-8 and 1-4 grain.

An examination will show the importance of specifying "McK. & R." Pills in preference to any other.

Morphine, Muriate	1-8 gr.
Morphine, Muriate	1-4 gr.

N**Narcotic Extracts (Brown-Sequard.)**

Ext. Hyoscyami	Ext. Conii. aa 2-3 gr.
Ext. Ignat. Amara	Ext. Opil aa 1-2 gr.
Ext. Aconiti	Ext. Opil aa 1-2 gr.
Ext. Cannabis Indicae	1-4 gr.
Ext. Stramonii	1-5 gr.
Ext. Belladonnae	1-6 gr.

Nitro-Glycerin.	1-100 gr.
Nitro-Glycerin.	1-50 gr.

O

Opium, Powdered	1 gr.
Opium and Acetate of Lead, B.P. 5 grs.	
{ Plumbi Acet.3-4 grs. }	
{ Opil Pulv. Conf. Rosae.aa 5-8 gr. }	

Opium and Camphor.

{ Opil Pulv.1 gr. }	
{ Camphora ..2 grs. }	

P

Pepsin, Pure Concentrated	1 gr.
Each Pill equals 5 grains Saccharated Pepsin.	

Phosphorus.. ..	1-100 gr.
Phosphorus.. ..	1-50 gr.
Phosphorus.. ..	1-30 gr.

Phosphorus and Iron.

{ Phosphorus.1-50 gr. }	
{ Ferrum Redactum 2 grs. }	

Phosphorus, Iron, and Quinine.

{ Phosphorus	1-100 gr. }
{ Ferri Carb. (Vallets) Quininae Sul.aa 1 gr. }	

Phosphorus and Nux Vomica.

{ Phosphorus	1-50 gr. }
{ Ext. Nucis Vomicae. 1-4 gr. }	

Phosphorus, Nux Vomica, and Iron.

{ Phosphorus	1-50 gr. }
{ Ext. Nucis Vomicae. 1-4 gr. }	
{ Ferri Carb.1 gr. }	

Phosphorus and Quinine.

{ Phosphorus.1-50 gr. }	
{ Quininae Sulphas.1 gr. }	

Phosphorus, Quinine, Iron, and Strychnine.

{ Phosphorus	1-50 gr. }
{ Quininae Sulphas 1-2 gr. Ferrum Redact.2 grs. }	
{ Strychnina	1-60 gr. }

Phosphorus and Valer. Zinc.

{ Phosphorus.1-50 gr. }	
{ Zinci Valerianae.1 gr. }	

Picrotoxin	1-80 gr.
Podophyllin.	1-8 gr.
Podophyllin.. ..	1-4 gr.
Podophyllin.. ..	1-2 gr.

Podophyllin Comp.

{ Res. Podophylli	1-2 gr. }
{ Ext. Coloc. Co.2 grs. }	
{ Ext. Hyoscyam.1 gr. }	

Q

Quinine, Bi-Sulphate	1-4 gr.
Quinine, Bi-Sulphate	1-2 gr.
Quinine, Bi-Sulphate	1 gr.
Quinine, Bi-Sulphate	2 grs.
Quinine, Bi-Sulphate	3 grs.
Quinine, Bi-Sulphate	4 grs.
Quinine, Bi-Sulphate	5 grs.
Quinine, Sulphate	1-4 gr.
Quinine, Sulphate	1-2 gr.
Quinine, Sulphate	1 gr.
Quinine, Sulphate	2 grs.
Quinine, Sulphate	3 grs.
Quinine, Sulphate	4 grs.
Quinine, Sulphate	5 grs.
Quinine, Comp. (Anti-Malarial.)	
{ Quininae Sulphas	Acid. Carbolic. }
{ Chinchoind. Sulph. aa 1 gr. Mentha Camphor aa 1-8 gr. }	
{ Acid. Arsenic.1-10 gr. Capsici Pulv.1 gr. }	

This Pill is largely prescribed in the most severe malarial districts of America with remarkable results.

R

Rhubarb Comp. B.P.	5 grs.
{ Rhei Pulv.1-4 grs. }	
{ Aloes Soc. Pulv.1 gr. }	
{ Saponis Pulv. Myrrhae Pulv.aa 5-8 gr. }	
{ Theriaca	1-2 gr. }
Ol. Menth. Pip.	

Rhubarb Comp. and Blue Mass, 5 grs.	
{ Pil. Rhei Comp.3 grs. }	
{ Massa Hydrag.2 grs. }	

Rhubarb, Ipecac. and Soda.

{ Pulv. Rhei Sodii Bicarb.aa 1 gr. }	
{ Pulv. Ipecac.1-5 gr. }	

S

Salicylic Acid	2 grs.
Salicylic Acid	5 grs.
Salicylic Acid Comp.	
{ Acid. Salicylicum.5 grs. }	
{ Morphinae Hydrochlor. 1-8 gr. }	

Soap Comp. B.P.	5 grs.
{ Opil Pulv.1 gr. }	
{ Saponis Pulv.4 grs. }	

Squill Comp. B.P.	5 grs.
{ Scilla Pulv.1 gr. Ammoniaci Pulv. }	
{ Zingiber. Pulv.4-5 gr. Saponis Pulv.aa 4-5 gr. }	
{ Theriaca	

Strychnine	1-50 gr.
------------------	----------

Z

Zinc, Phosphate.. ..	1-4 gr.
Zinc, Phosphate.. ..	1-2 gr.
Zinc, Valerianate	1 gr.

PRIVATE FORMULAS.

Private Formulas of 3,000 or more Pills made and Capsuled to order for Hospitals and large consumers at special quotations.

ADDRESS :

McKESSON & ROBBINS,

91, FULTON STREET, NEW YORK.

Being completely sealed, all substances are perfectly preserved from Oxidation.

IN ORDERING, BE CAREFUL TO SPECIFY "McK. & R." PILLS.

NOTE what the "British Medical Journal," Sept. 18, 1880, says:—

"The McK. & R. Caps. Pills are beautiful in appearance, the color of the medicine showing clearly through the thin, but PERFECT AND SOLUBLE covering of gelatine. Their OVAL SHAPE appears to GIVE THEM A GREAT ADVANTAGE OVER THE ROUND FORM of pill, as they are MUCH MORE EASILY SWALLOWED. THEY ARE ALL THAT CAN BE DESIRED IN POINT OF SOLUBILITY as the covering of gelatine is put on while the MASS IS SOFT. If one of their Quinine Pills be placed on the tongue (this is the best and most reliable test of solubility) the TASTE is at first ENTIRELY IMPERCEPTIBLE, until in about HALF-A-MINUTE the COVERING DISSOLVES, and the mass itself being soft, dissolves in about two minutes more."

PERMANENCE.

The question whether McK. & R.'s Pills will remain unaffected in warm, damp climates seems to be satisfactorily answered in the following abstract of a letter from Aspinwall:

"COMMISSARY DEPARTMENT,

"PANAMA RAILROAD, ASPINWALL, U.S., COLUMBIA.

"Messrs. MCKESSON & ROBBINS,

"GENTLEMEN,—Almost everything perishes rapidly in this terrible climate, but your Pills put up in bottles keep remarkably well. The dampness does not appear to have the least effect upon them, as long as they are kept in bottles, though ordinary coated Pills are soon spoiled.

"Yours respectfully,

"THOS. M. CASH, Commissary."

We have other letters from various points in the Tropics, speaking to the same effect.

We are spending much money, time, and labor on the Pill department of our Laboratory, desiring to make it as perfect as possible, and any suggestions from the Profession will be thankfully received.

During the past few years, many imitations of our Pills, some of them quite inferior, have been put upon the market, and these, we regret to say, are sometimes dispensed on prescriptions when our Pills have been desired; and as the preference for our Capsuled Pills is increased by microscopical and chemical, as well as therapeutical tests of quality, we would most earnestly and respectfully request Physicians to specify "McK. & R." on all prescriptions and orders to their retail druggists, and when circumstances will admit, in original vials of 25 or 100 Pills each.

Yours respectfully,

MCKESSON & ROBBINS,

91, FULTON STREET, NEW YORK.